

Data Trends

Data Trends, 2019 vs 2020

Source	Summary
Hospital Data	
Billing Data	<ul style="list-style-type: none"> Little change between years for suspected overdoses from billing data and 441A. Increases in suspected opioid overdoses in ED from SyS (23% increase) Population most effected: male, White (non-Hispanic), 25-44 years of age. Emerging populations: Black, Hispanic
Syndromic Surveillance (SyS)	
Hospital Reporting (441A)	
Public Safety	
Arrests (Drug-related)	<ul style="list-style-type: none"> 48% decrease in arrest events, 44% decrease in distinct persons
ODMAP	<ul style="list-style-type: none"> 19% increase in suspected overdoses 150% increase in suspected fatal overdoses 20% decrease in naloxone administered
NFLIS Reports*	<ul style="list-style-type: none"> 36% increase in methamphetamine 30% increase in cannabis/THC
Prescribing	
PDMP	<ul style="list-style-type: none"> 6% decrease in opioid prescriptions 19% decrease in co-rx of opioid+benzos 44% decrease in naloxone prescriptions 41% decrease in co-rx of opioids+naloxone

84

*Note data compared is 2018 vs 2019.

Data Trends, 2019 vs 2020

Source	Summary
Mortality	
Vital Records	<ul style="list-style-type: none"> 2019: 13.9 deaths per 100,000 vs. 2020: 18.8 deaths per 100,000 Increase in deaths among those 20-29 years of age (2019: 16% vs. 2020: 26%)
SUDORS*	<ul style="list-style-type: none"> 37% increase in unintentional/undetermined drug overdoses Increases among 18-34 year old population Increase among Hispanics (2019: 7.5% vs. 2020: 17.5%) Increase in deaths attributed to fentanyl (2019: 12.9% vs 2020: 30.4%)
Coroner/ME	<ul style="list-style-type: none"> 194% increase in fentanyl overdoses (Clark County) 126% increase in fentanyl overdoses (Washoe County)
Treatment	
TEDS	<ul style="list-style-type: none"> 31% decrease in admissions to SAPTA-funded facilities Increase in Hispanics (2019: 15% vs. 2020: 21%) and Blacks (2019: 14% vs. 2020: 16%) 2020: Alcohol (34%), Methamphetamine (32%), Marijuana (17%). Little change in proportions between years in primary substances used.
Harm Reduction	
Syringe Exchange	<ul style="list-style-type: none"> Change Point: 38% decrease in needles in, 33% decrease in needles out.
Fentanyl Test Strips	<ul style="list-style-type: none"> TracB: 10% increase in needles in, 16% increase in needles out. Decreases in strips distributed and returned.

* Note data compared is the first half of 2019 to the first half of 2020.