

Nevada Opioid Surveillance Hospital Profile - 2022


Desert Springs Hospital Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 38 | 38 | 33 | 55 |
| Opioid Related | 417 | 440 | 384 | 371 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Desert Springs Hospital Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 47.4% | 39.5% | 36.4% | 22.9% | 50.8% | 53.4% | 49.2% | 49.1% | |
| | Male | 52.6% | 60.5% | 63.6% | 77.1% | 49.2% | 46.6% | 50.8% | 50.9% | |
| | Unknown | 2.6% | 7.9% | 3.0% | 6.3% | 1.4% | 1.4% | 1.6% | 0.0% | |
| Age | 0-24 | 13.2% | 15.8% | 21.2% | 14.6% | 1.4% | 0.9% | 2.3% | 1.1% | |
| | 25-44 | 50.0% | 63.2% | 45.5% | 56.3% | 30.0% | 29.1% | 23.4% | 20.6% | |
| | 45-64 | 23.7% | 15.8% | 24.2% | 20.8% | 46.5% | 49.8% | 46.1% | 40.2% | |
| | 65+ | 13.2% | 5.3% | 9.1% | 8.3% | 22.1% | 20.2% | 28.1% | 38.1% | |
| | Unknown | 2.6% | 7.9% | 3.0% | 6.3% | 1.4% | 1.4% | 1.6% | 0.0% | |
| Race/Ethnicity | Black | 10.5% | 7.9% | 15.2% | 20.8% | 18.7% | 16.1% | 14.6% | 15.7% | |
| | White | 57.9% | 60.5% | 66.7% | 62.5% | 66.4% | 70.0% | 70.6% | 74.7% | |
| | Hispanic | 10.5% | 7.9% | 9.1% | 2.1% | 7.2% | 4.1% | 6.3% | 6.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 2.6% | 7.9% | 3.0% | 6.3% | 1.4% | 1.4% | 1.6% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 5 | 6 | 2 | 0 |
| Count of OUD | 22 | 18 | 14 | 14 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 22% | 20% | 21% | 14% | 14% | 16% | 15% | 14% |
| Medicaid HMO | 27% | 27% | 21% | 20% | 36% | 37% | 35% | 43% |
| Medicare | 37% | 36% | 39% | 46% | 27% | 22% | 19% | 15% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 1% | 2% | 1% | 1% | 1% | 1% | 1% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 13% | 16% | 17% | 18% | 22% | 24% | 30% | 27% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Henderson Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 46 | 47 | 54 | 62 |
| Opioid Related | 123 | 176 | 160 | 173 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Henderson Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 34.8% | 36.2% | 40.7% | 44.7% | 52.0% | 52.3% | 58.8% | 61.2% |
| | Male | 65.2% | 63.8% | 59.3% | 55.3% | 48.0% | 47.7% | 41.3% | 38.8% |
| | Unknown | 6.5% | 10.6% | 3.7% | 10.6% | 2.4% | 2.3% | 3.8% | 1.7% |
| Age | 0-24 | 15.2% | 17.0% | 20.4% | 10.6% | 5.7% | 1.7% | 5.6% | 0.8% |
| | 25-44 | 50.0% | 44.7% | 50.0% | 57.4% | 50.4% | 34.1% | 38.1% | 35.5% |
| | 45-64 | 28.3% | 23.4% | 18.5% | 17.0% | 33.3% | 40.9% | 35.0% | 28.1% |
| | 65+ | 6.5% | 14.9% | 11.1% | 14.9% | 10.6% | 23.3% | 21.3% | 35.5% |
| | Unknown | 6.5% | 10.6% | 3.7% | 10.6% | 2.4% | 2.3% | 3.8% | 1.7% |
| Race/Ethnicity | Black | 6.5% | 8.5% | 7.4% | 4.3% | 6.5% | 8.0% | 9.4% | 10.7% |
| | White | 58.7% | 63.8% | 75.9% | 70.2% | 82.9% | 75.0% | 72.5% | 82.6% |
| | Hispanic | 21.7% | 6.4% | 5.6% | 14.9% | 3.3% | 8.5% | 8.8% | 4.1% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 6.5% | 10.6% | 3.7% | 10.6% | 2.4% | 2.3% | 3.8% | 1.7% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 8 | 3 | 3 | 1 |
| Count of OUD | 15 | 10 | 12 | 5 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 10% | 10% | 8% | 11% | 10% | 9% | 6% | 8% |
| Medicaid HMO | 36% | 32% | 28% | 27% | 40% | 34% | 35% | 45% |
| Medicare | 24% | 36% | 41% | 40% | 17% | 24% | 21% | 16% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 3% | 2% | 2% | 3% | 2% | 1% | 2% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 1% | 1% | 0% | 0% |
| Other | 30% | 18% | 22% | 20% | 28% | 30% | 37% | 29% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


MountainView Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 62 | 44 | 76 | 64 |
| Opioid Related | 592 | 621 | 540 | 484 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for MountainView Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 48.4% | 50.0% | 43.4% | 42.6% | 57.8% | 59.7% | 60.0% | 57.8% | |
| | Male | 51.6% | 50.0% | 56.6% | 57.4% | 42.2% | 40.3% | 40.0% | 42.2% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 2.1% | 1.0% | 0.3% | 1.1% | 0.5% | |
| Age | 0-24 | 17.7% | 13.6% | 23.7% | 8.5% | 4.1% | 1.1% | 2.0% | 1.3% | |
| | 25-44 | 48.4% | 54.5% | 50.0% | 55.3% | 25.5% | 29.6% | 33.9% | 28.2% | |
| | 45-64 | 27.4% | 20.5% | 15.8% | 25.5% | 37.2% | 37.8% | 36.1% | 36.3% | |
| | 65+ | 6.5% | 11.4% | 10.5% | 10.6% | 33.3% | 31.4% | 28.0% | 34.1% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 2.1% | 1.0% | 0.3% | 1.1% | 0.5% | |
| Race/Ethnicity | Black | 17.7% | 20.5% | 9.2% | 10.6% | 21.5% | 23.0% | 28.9% | 20.7% | |
| | White | 64.5% | 59.1% | 60.5% | 78.7% | 59.3% | 64.3% | 56.9% | 62.6% | |
| | Hispanic | 9.7% | 13.6% | 15.8% | 6.4% | 11.1% | 6.3% | 7.2% | 7.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 2.1% | 1.0% | 0.3% | 1.1% | 0.5% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 10 | 6 | 9 | 3 |
| Count of OUD | 38 | 18 | 21 | 21 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 11% | 18% | 19% | 15% | 9% | 10% | 8% | 13% |
| Medicaid HMO | 17% | 18% | 21% | 21% | 37% | 37% | 42% | 40% |
| Medicare | 57% | 54% | 45% | 49% | 36% | 31% | 22% | 27% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 0% | 0% | 0% | 0% | 0% | 1% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 0% |
| Other | 14% | 10% | 14% | 14% | 18% | 21% | 28% | 20% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


North Vista Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 24 | 10 | 28 | 23 |
| Opioid Related | 118 | 108 | 107 | 50 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for North Vista Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 50.0% | 60.0% | 32.1% | 42.1% | 48.3% | 41.7% | 31.8% | 26.8% | |
| | Male | 50.0% | 40.0% | 67.9% | 57.9% | 51.7% | 58.3% | 68.2% | 73.2% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 5.3% | 0.0% | 0.0% | 1.9% | 2.4% | |
| Age | 0-24 | 0.0% | 20.0% | 14.3% | 10.5% | 1.7% | 0.0% | 0.9% | 2.4% | |
| | 25-44 | 37.5% | 20.0% | 67.9% | 57.9% | 40.7% | 25.9% | 38.3% | 48.8% | |
| | 45-64 | 54.2% | 50.0% | 10.7% | 26.3% | 42.4% | 56.5% | 43.9% | 31.7% | |
| | 65+ | 8.3% | 10.0% | 7.1% | 5.3% | 15.3% | 17.6% | 16.8% | 17.1% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 5.3% | 0.0% | 0.0% | 1.9% | 2.4% | |
| Race/Ethnicity | Black | 29.2% | 20.0% | 28.6% | 42.1% | 24.6% | 27.8% | 25.2% | 22.0% | |
| | White | 54.2% | 70.0% | 39.3% | 42.1% | 60.2% | 57.4% | 50.5% | 43.9% | |
| | Hispanic | 4.2% | 0.0% | 3.6% | 5.3% | 1.7% | 3.7% | 7.5% | 12.2% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 5.3% | 0.0% | 0.0% | 1.9% | 2.4% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 5 | 1 | 3 | 1 |
| Count of OUD | 22 | 6 | 13 | 5 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 37% | 34% | 36% | 16% | 15% | 14% | 23% | 15% |
| Medicaid HMO | 17% | 8% | 7% | 7% | 36% | 38% | 30% | 26% |
| Medicare | 39% | 43% | 39% | 31% | 14% | 11% | 13% | 17% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 3% | 1% | 3% | 13% | 6% | 3% | 6% | 9% |
| Other | 5% | 14% | 16% | 33% | 29% | 34% | 28% | 33% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Northeastern Nevada Regional Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 8 | 6 | 13 | 7 |
| Opioid Related | 19 | 24 | 28 | 17 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Northeastern Nevada Regional Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | |
|----------------|----------------------------|--------|--------|-------|-------|---------------------------------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 62.5% | 33.3% | 46.2% | 33.3% | 57.9% | 54.2% | 60.7% | 50.0% |
| | Male | 37.5% | 66.7% | 53.8% | 66.7% | 42.1% | 45.8% | 39.3% | 50.0% |
| | Unknown | 0.0% | 0.0% | 15.4% | 0.0% | 0.0% | 0.0% | 7.1% | 0.0% |
| Age | 0-24 | 25.0% | 16.7% | 30.8% | 16.7% | 21.1% | 25.0% | 21.4% | 33.3% |
| | 25-44 | 50.0% | 50.0% | 38.5% | 50.0% | 31.6% | 37.5% | 32.1% | 33.3% |
| | 45-64 | 12.5% | 16.7% | 23.1% | 33.3% | 31.6% | 25.0% | 14.3% | 16.7% |
| | 65+ | 12.5% | 16.7% | 7.7% | 0.0% | 15.8% | 12.5% | 32.1% | 16.7% |
| | Unknown | 0.0% | 0.0% | 15.4% | 0.0% | 0.0% | 0.0% | 7.1% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White | 100.0% | 100.0% | 69.2% | 66.7% | 100.0% | 95.8% | 82.1% | 83.3% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 15.4% | 0.0% | 0.0% | 0.0% | 7.1% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 1 | 0 | 0 |
| Count of OUD | 5 | 5 | 0 | 1 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 35% | 48% | 53% | 75% | 59% | 44% | 58% | 64% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Medicare | 35% | 26% | 28% | 21% | 13% | 8% | 4% | 7% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 1% | 3% | 0% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 5% | 6% | 0% | 0% |
| Other | 30% | 26% | 19% | 4% | 22% | 39% | 39% | 29% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Northern Nevada Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 8 | 14 | 9 | 8 |
| Opioid Related | 79 | 68 | 46 | 75 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Northern Nevada Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|--------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 37.5% | 14.3% | 22.2% | 66.7% | 60.8% | 61.8% | 69.6% | 65.1% | |
| | Male | 62.5% | 85.7% | 77.8% | 33.3% | 39.2% | 38.2% | 30.4% | 34.9% | |
| | Unknown | 0.0% | 7.1% | 0.0% | 0.0% | 1.3% | 0.0% | 2.2% | 3.2% | |
| Age | 0-24 | 25.0% | 21.4% | 11.1% | 0.0% | 3.8% | 5.9% | 6.5% | 4.8% | |
| | 25-44 | 37.5% | 71.4% | 77.8% | 50.0% | 20.3% | 26.5% | 23.9% | 34.9% | |
| | 45-64 | 37.5% | 7.1% | 0.0% | 33.3% | 44.3% | 36.8% | 50.0% | 27.0% | |
| | 65+ | 0.0% | 0.0% | 11.1% | 16.7% | 31.6% | 30.9% | 19.6% | 33.3% | |
| | Unknown | 0.0% | 7.1% | 0.0% | 0.0% | 1.3% | 0.0% | 2.2% | 3.2% | |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.9% | 0.0% | 0.0% | |
| | White | 75.0% | 78.6% | 88.9% | 100.0% | 96.2% | 95.6% | 89.1% | 87.3% | |
| | Hispanic | 12.5% | 14.3% | 0.0% | 0.0% | 2.5% | 0.0% | 4.3% | 6.3% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 7.1% | 0.0% | 0.0% | 1.3% | 0.0% | 2.2% | 3.2% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 2 | 3 | 0 | 0 |
| Count of OUD | 1 | 5 | 2 | 3 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 15% | 6% | 14% | 16% | 12% | 21% | 15% | 15% |
| Medicaid HMO | 10% | 27% | 27% | 24% | 26% | 27% | 33% | 31% |
| Medicare | 52% | 46% | 37% | 37% | 26% | 24% | 14% | 18% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 0% | 4% | 1% | 1% | 2% | 2% | 0% |
| Commercial Insurer | 0% | 1% | 0% | 1% | 0% | 3% | 4% | 2% |
| Other | 22% | 20% | 18% | 21% | 34% | 24% | 32% | 34% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Renown Regional Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 83 | 112 | 87 | 134 |
| Opioid Related | 873 | 675 | 547 | 538 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Renown Regional Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 45.8% | 42.0% | 36.8% | 28.0% | 60.5% | 56.1% | 53.6% | 55.0% |
| | Male | 54.2% | 57.1% | 63.2% | 72.0% | 39.5% | 43.9% | 46.4% | 45.0% |
| | Unknown | 3.6% | 1.8% | 0.0% | 0.0% | 0.9% | 0.7% | 0.7% | 1.6% |
| Age | 0-24 | 20.5% | 25.9% | 29.9% | 20.4% | 4.8% | 5.0% | 4.6% | 3.7% |
| | 25-44 | 53.0% | 53.6% | 57.5% | 57.0% | 28.8% | 32.1% | 35.5% | 36.4% |
| | 45-64 | 22.9% | 13.4% | 10.3% | 18.3% | 41.1% | 35.9% | 38.9% | 32.0% |
| | 65+ | 3.6% | 7.1% | 2.3% | 4.3% | 25.3% | 27.0% | 21.0% | 27.6% |
| | Unknown | 3.6% | 1.8% | 0.0% | 0.0% | 0.9% | 0.7% | 0.7% | 1.6% |
| Race/Ethnicity | Black | 6.0% | 4.5% | 3.4% | 5.4% | 3.2% | 3.3% | 3.8% | 3.0% |
| | White | 85.5% | 83.0% | 86.2% | 82.8% | 93.8% | 91.4% | 91.6% | 90.0% |
| | Hispanic | 1.2% | 6.3% | 4.6% | 7.5% | 0.9% | 1.0% | 0.7% | 1.2% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 3.6% | 1.8% | 0.0% | 0.0% | 0.9% | 0.7% | 0.7% | 1.6% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 9 | 19 | 9 | 3 |
| Count of OUD | 26 | 13 | 13 | 11 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 16% | 14% | 15% | 17% | 19% | 13% | 13% | 18% |
| Medicaid HMO | 16% | 20% | 23% | 25% | 27% | 32% | 32% | 28% |
| Medicare | 48% | 43% | 40% | 34% | 23% | 21% | 20% | 20% |
| CHAMPUS OR CHAMPVA (Military) | 2% | 3% | 2% | 2% | 1% | 1% | 2% | 0% |
| Commercial Insurer | 1% | 1% | 1% | 2% | 1% | 2% | 2% | 1% |
| Other | 17% | 19% | 20% | 20% | 29% | 31% | 31% | 33% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Renown South Meadows Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 4 | 6 | 18 | 17 |
| Opioid Related | 172 | 191 | 101 | 84 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Renown South Meadows Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|--------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 50.0% | 33.3% | 50.0% | 46.7% | 58.7% | 62.8% | 62.4% | 51.6% | |
| | Male | 50.0% | 66.7% | 50.0% | 53.3% | 41.3% | 37.2% | 37.6% | 48.4% | |
| | Unknown | 0.0% | 0.0% | 5.6% | 0.0% | 0.0% | 0.5% | 0.0% | 1.6% | |
| Age | 0-24 | 50.0% | 33.3% | 27.8% | 13.3% | 2.9% | 1.6% | 5.0% | 0.0% | |
| | 25-44 | 50.0% | 50.0% | 61.1% | 80.0% | 22.7% | 24.1% | 41.6% | 32.8% | |
| | 45-64 | 0.0% | 0.0% | 5.6% | 6.7% | 36.6% | 37.2% | 27.7% | 40.6% | |
| | 65+ | 0.0% | 16.7% | 5.6% | 0.0% | 37.8% | 37.2% | 25.7% | 26.6% | |
| | Unknown | 0.0% | 0.0% | 5.6% | 0.0% | 0.0% | 0.5% | 0.0% | 1.6% | |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.6% | 1.6% | 2.0% | 0.0% | |
| | White | 75.0% | 100.0% | 88.9% | 93.3% | 96.5% | 94.2% | 96.0% | 92.2% | |
| | Hispanic | 25.0% | 0.0% | 0.0% | 6.7% | 0.0% | 0.0% | 1.0% | 3.1% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 5.6% | 0.0% | 0.0% | 0.5% | 0.0% | 1.6% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 1 | 2 | 1 |
| Count of OUD | 2 | 1 | 3 | 2 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 7% | 9% | 14% | 12% | 14% | 13% | 13% | 12% |
| Medicaid HMO | 7% | 12% | 19% | 14% | 20% | 25% | 29% | 32% |
| Medicare | 61% | 57% | 41% | 42% | 31% | 34% | 15% | 24% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 1% | 0% | 0% | 1% | 2% | 3% | 1% |
| Commercial Insurer | 0% | 1% | 3% | 3% | 3% | 1% | 2% | 1% |
| Other | 23% | 21% | 22% | 29% | 31% | 25% | 38% | 30% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Saint Mary's Regional Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 49 | 49 | 35 | 49 |
| Opioid Related | 357 | 369 | 383 | 306 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Saint Mary's Regional Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 28.6% | 51.0% | 34.3% | 36.7% | 58.0% | 56.6% | 54.3% | 49.0% | |
| | Male | 71.4% | 49.0% | 65.7% | 63.3% | 42.0% | 43.4% | 45.7% | 51.0% | |
| | Unknown | 0.0% | 2.0% | 0.0% | 4.1% | 0.3% | 0.5% | 1.6% | 3.3% | |
| Age | 0-24 | 18.4% | 30.6% | 8.6% | 20.4% | 3.4% | 2.2% | 3.4% | 2.9% | |
| | 25-44 | 65.3% | 49.0% | 62.9% | 55.1% | 26.6% | 33.9% | 29.2% | 34.0% | |
| | 45-64 | 14.3% | 10.2% | 22.9% | 22.4% | 42.0% | 38.5% | 41.3% | 35.0% | |
| | 65+ | 2.0% | 10.2% | 5.7% | 2.0% | 28.0% | 25.5% | 26.1% | 28.1% | |
| | Unknown | 0.0% | 2.0% | 0.0% | 4.1% | 0.3% | 0.5% | 1.6% | 3.3% | |
| Race/Ethnicity | Black | 4.1% | 0.0% | 0.0% | 2.0% | 3.1% | 1.6% | 2.3% | 3.6% | |
| | White | 81.6% | 87.8% | 77.1% | 75.5% | 85.4% | 86.7% | 82.2% | 79.7% | |
| | Hispanic | 4.1% | 2.0% | 11.4% | 10.2% | 7.0% | 6.5% | 7.6% | 6.9% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 2.0% | 0.0% | 4.1% | 0.3% | 0.5% | 1.6% | 3.3% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 9 | 12 | 5 | 3 |
| Count of OUD | 14 | 10 | 15 | 15 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 17% | 19% | 17% | 16% | 13% | 13% | 10% | 12% |
| Medicaid HMO | 21% | 24% | 23% | 28% | 39% | 51% | 49% | 52% |
| Medicare | 48% | 42% | 44% | 41% | 20% | 14% | 18% | 13% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 1% | 1% | 0% | 0% | 0% | 2% | 1% | 1% |
| Other | 13% | 14% | 15% | 15% | 28% | 20% | 22% | 21% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Southern Hills Hospital and Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 19 | 22 | 34 | 32 |
| Opioid Related | 296 | 468 | 647 | 476 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Southern Hills Hospital and Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 47.4% | 27.3% | 41.2% | 36.4% | 60.8% | 49.8% | 49.0% | 41.7% | |
| | Male | 52.6% | 72.7% | 58.8% | 63.6% | 39.2% | 50.2% | 51.0% | 58.3% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 1.1% | 0.6% | 0.6% | |
| Age | 0-24 | 10.5% | 0.0% | 26.5% | 22.7% | 2.0% | 3.8% | 3.1% | 3.9% | |
| | 25-44 | 52.6% | 54.5% | 47.1% | 50.0% | 25.0% | 32.3% | 37.2% | 39.8% | |
| | 45-64 | 26.3% | 31.8% | 17.6% | 22.7% | 42.6% | 44.0% | 43.7% | 37.6% | |
| | 65+ | 10.5% | 13.6% | 8.8% | 4.5% | 30.4% | 19.9% | 15.9% | 18.8% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 1.1% | 0.6% | 0.6% | |
| Race/Ethnicity | Black | 15.8% | 4.5% | 17.6% | 13.6% | 14.5% | 15.6% | 17.6% | 16.9% | |
| | White | 52.6% | 63.6% | 44.1% | 50.0% | 66.9% | 64.7% | 62.3% | 60.5% | |
| | Hispanic | 15.8% | 13.6% | 26.5% | 18.2% | 10.5% | 8.8% | 9.6% | 11.6% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 1.1% | 0.6% | 0.6% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 3 | 5 | 2 | 2 |
| Count of OUD | 12 | 13 | 15 | 12 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 9% | 22% | 26% | 27% | 12% | 10% | 16% | 15% |
| Medicaid HMO | 16% | 17% | 16% | 19% | 43% | 44% | 45% | 44% |
| Medicare | 55% | 47% | 43% | 40% | 19% | 26% | 17% | 18% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% |
| Other | 20% | 13% | 14% | 14% | 26% | 20% | 21% | 22% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Spring Valley Hospital Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 44 | 48 | 82 | 57 |
| Opioid Related | 272 | 272 | 235 | 194 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Spring Valley Hospital Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 40.9% | 22.9% | 29.3% | 34.9% | 57.4% | 54.8% | 57.0% | 53.4% | |
| | Male | 59.1% | 77.1% | 70.7% | 65.1% | 42.6% | 45.2% | 43.0% | 46.6% | |
| | Unknown | 0.0% | 4.2% | 1.2% | 0.0% | 1.8% | 1.5% | 0.0% | 0.0% | |
| Age | 0-24 | 18.2% | 6.3% | 13.4% | 14.0% | 6.3% | 9.9% | 6.0% | 0.7% | |
| | 25-44 | 63.6% | 58.3% | 56.1% | 58.1% | 44.1% | 46.3% | 39.6% | 29.1% | |
| | 45-64 | 13.6% | 29.2% | 23.2% | 23.3% | 34.2% | 36.4% | 37.0% | 38.5% | |
| | 65+ | 4.5% | 6.3% | 7.3% | 4.7% | 15.4% | 7.4% | 17.4% | 31.8% | |
| | Unknown | 0.0% | 4.2% | 1.2% | 0.0% | 1.8% | 1.5% | 0.0% | 0.0% | |
| Race/Ethnicity | Black | 6.8% | 20.8% | 12.2% | 18.6% | 8.8% | 19.1% | 21.7% | 15.5% | |
| | White | 59.1% | 56.3% | 62.2% | 62.8% | 76.1% | 65.4% | 64.7% | 70.9% | |
| | Hispanic | 11.4% | 18.8% | 15.9% | 16.3% | 6.3% | 8.5% | 10.2% | 8.1% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 4.2% | 1.2% | 0.0% | 1.8% | 1.5% | 0.0% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| OD | 39 | 25 | 21 | 14 |
| Count of Readmission | 7 | 8 | 8 | 5 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|--------------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 15% | 20% | 25% | 15% | 8% | 10% | 12% | 12% |
| Medicaid HMO | 32% | 34% | 27% | 25% | 45% | 45% | 42% | 42% |
| Medicare | 31% | 26% | 30% | 41% | 16% | 17% | 13% | 13% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 1% | 2% | 2% | 1% | 2% | 1% | 1% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% |
| Other | 21% | 18% | 16% | 17% | 30% | 26% | 31% | 32% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


St. Rose Dominican Hospitals - Rose de Lima Campus

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 19 | 11 | 9 | 10 |
| Opioid Related | 69 | 14 | 11 | 10 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for St. Rose Dominican Hospitals - Rose de Lima


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|--------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 36.8% | 63.6% | 44.4% | 66.7% | 58.0% | 64.3% | 54.5% | 33.3% |
| | Male | 63.2% | 36.4% | 55.6% | 33.3% | 42.0% | 35.7% | 45.5% | 66.7% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Age | 0-24 | 5.3% | 27.3% | 0.0% | 11.1% | 2.9% | 0.0% | 0.0% | 0.0% |
| | 25-44 | 57.9% | 36.4% | 55.6% | 66.7% | 29.0% | 50.0% | 63.6% | 44.4% |
| | 45-64 | 26.3% | 36.4% | 22.2% | 11.1% | 37.7% | 35.7% | 18.2% | 33.3% |
| | 65+ | 10.5% | 0.0% | 22.2% | 11.1% | 30.4% | 14.3% | 18.2% | 22.2% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 9.1% | 0.0% | 22.2% | 13.0% | 28.6% | 45.5% | 11.1% |
| | White | 89.5% | 90.9% | 100.0% | 77.8% | 75.4% | 71.4% | 54.5% | 77.8% |
| | Hispanic | 10.5% | 0.0% | 0.0% | 0.0% | 11.6% | 0.0% | 0.0% | 11.1% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| OU | 6 | 4 | 5 | 1 |
| Count of Readmission | 2 | 5 | 0 | 2 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|--------------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 5% | 0% | 0% | 10% | 5% | 14% | 17% | 21% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 1% | 4% | 0% |
| Medicare | 48% | 33% | 18% | 30% | 15% | 10% | 7% | 20% |
| CHAMPUS OR CHAMPVA (Military) | 4% | 0% | 9% | 0% | 2% | 1% | 0% | 0% |
| Commercial Insurer | 37% | 53% | 64% | 40% | 68% | 51% | 54% | 42% |
| Other | 5% | 13% | 9% | 20% | 11% | 23% | 18% | 17% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


St. Rose Dominican Hospitals - San Martin Campus

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 15 | 16 | 18 | 18 |
| Opioid Related | 133 | 151 | 118 | 95 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for St. Rose Dominican Hospitals - San Martin


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 33.3% | 43.8% | 33.3% | 13.3% | 57.1% | 55.6% | 46.6% | 53.5% |
| | Male | 66.7% | 56.3% | 66.7% | 86.7% | 42.9% | 44.4% | 53.4% | 46.5% |
| | Unknown | 0.0% | 0.0% | 0.0% | 6.7% | 0.8% | 0.0% | 0.0% | 1.4% |
| Age | 0-24 | 20.0% | 18.8% | 11.1% | 6.7% | 6.0% | 2.6% | 4.2% | 1.4% |
| | 25-44 | 53.3% | 56.3% | 72.2% | 53.3% | 33.1% | 35.8% | 34.7% | 40.8% |
| | 45-64 | 20.0% | 18.8% | 16.7% | 26.7% | 42.9% | 41.1% | 44.1% | 33.8% |
| | 65+ | 6.7% | 6.3% | 0.0% | 13.3% | 18.0% | 20.5% | 16.9% | 23.9% |
| | Unknown | 0.0% | 0.0% | 0.0% | 6.7% | 0.8% | 0.0% | 0.0% | 1.4% |
| Race/Ethnicity | Black | 20.0% | 12.5% | 11.1% | 13.3% | 11.3% | 13.2% | 12.7% | 19.7% |
| | White | 66.7% | 68.8% | 55.6% | 66.7% | 74.4% | 68.9% | 73.7% | 69.0% |
| | Hispanic | 0.0% | 12.5% | 22.2% | 13.3% | 11.3% | 13.2% | 5.9% | 8.5% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 6.7% | 0.8% | 0.0% | 0.0% | 1.4% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 0 | 1 | 1 |
| Count of OUD | 5 | 5 | 5 | 2 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 17% | 17% | 17% | 27% | 26% | 32% | 32% | 32% |
| Medicaid HMO | 2% | 2% | 2% | 0% | 2% | 0% | 1% | 2% |
| Medicare | 30% | 24% | 21% | 22% | 19% | 15% | 9% | 12% |
| CHAMPUS OR CHAMPVA (Military) | 4% | 5% | 6% | 2% | 2% | 2% | 1% | 0% |
| Commercial Insurer | 43% | 39% | 45% | 39% | 38% | 32% | 39% | 40% |
| Other | 4% | 13% | 8% | 10% | 13% | 20% | 18% | 14% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


St. Rose Dominican Hospitals - Siena Campus

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 28 | 32 | 86 | 69 |
| Opioid Related | 276 | 264 | 215 | 230 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for St. Rose Dominican Hospitals - Siena Campus.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 46.4% | 43.8% | 31.4% | 43.6% | 59.4% | 59.5% | 59.5% | 56.0% | |
| | Male | 53.6% | 56.3% | 68.6% | 56.4% | 40.6% | 40.5% | 40.5% | 44.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 3.6% | 0.4% | 0.4% | 0.5% | 1.7% | |
| Age | 0-24 | 21.4% | 15.6% | 27.9% | 18.2% | 7.2% | 3.4% | 0.9% | 2.3% | |
| | 25-44 | 42.9% | 34.4% | 44.2% | 40.0% | 36.6% | 29.9% | 31.2% | 34.9% | |
| | 45-64 | 25.0% | 21.9% | 20.9% | 32.7% | 30.1% | 33.7% | 29.3% | 34.3% | |
| | 65+ | 10.7% | 28.1% | 7.0% | 9.1% | 26.1% | 33.0% | 38.6% | 28.6% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 3.6% | 0.4% | 0.4% | 0.5% | 1.7% | |
| Race/Ethnicity | Black | 17.9% | 12.5% | 14.0% | 10.9% | 9.1% | 9.5% | 6.0% | 10.3% | |
| | White | 67.9% | 71.9% | 65.1% | 60.0% | 80.8% | 80.3% | 79.1% | 78.9% | |
| | Hispanic | 10.7% | 15.6% | 14.0% | 12.7% | 6.9% | 6.1% | 10.7% | 4.6% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 3.6% | 0.4% | 0.4% | 0.5% | 1.7% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 2 | 6 | 5 | 5 |
| Count of OUD | 14 | 19 | 15 | 10 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 16% | 17% | 15% | 22% | 22% | 33% | 37% | 33% |
| Medicaid HMO | 6% | 1% | 2% | 2% | 2% | 1% | 2% | 2% |
| Medicare | 33% | 29% | 23% | 21% | 15% | 16% | 10% | 14% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 2% | 2% | 4% | 2% | 2% | 1% | 3% |
| Commercial Insurer | 41% | 42% | 49% | 35% | 47% | 35% | 32% | 31% |
| Other | 4% | 9% | 9% | 16% | 13% | 14% | 17% | 17% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Summerlin Hospital Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 27 | 27 | 37 | 21 |
| Opioid Related | 278 | 243 | 194 | 251 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Summerlin Hospital Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 22.2% | 81.5% | 37.8% | 58.8% | 57.2% | 54.7% | 52.1% | 63.5% |
| | Male | 77.8% | 18.5% | 62.2% | 41.2% | 42.8% | 45.3% | 47.9% | 36.5% |
| | Unknown | 7.4% | 0.0% | 2.7% | 5.9% | 1.4% | 1.2% | 0.5% | 1.1% |
| Age | 0-24 | 25.9% | 25.9% | 27.0% | 11.8% | 6.5% | 6.6% | 6.7% | 3.9% |
| | 25-44 | 44.4% | 29.6% | 54.1% | 47.1% | 40.3% | 36.6% | 44.3% | 38.2% |
| | 45-64 | 18.5% | 25.9% | 18.9% | 29.4% | 32.7% | 35.4% | 28.9% | 33.7% |
| | 65+ | 11.1% | 18.5% | 0.0% | 11.8% | 20.5% | 21.4% | 20.1% | 24.2% |
| | Unknown | 7.4% | 0.0% | 2.7% | 5.9% | 1.4% | 1.2% | 0.5% | 1.1% |
| Race/Ethnicity | Black | 7.4% | 7.4% | 5.4% | 11.8% | 14.4% | 18.9% | 24.7% | 28.1% |
| | White | 77.8% | 74.1% | 70.3% | 41.2% | 73.0% | 65.4% | 62.9% | 57.3% |
| | Hispanic | 3.7% | 11.1% | 8.1% | 23.5% | 4.0% | 7.8% | 7.2% | 7.3% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 7.4% | 0.0% | 2.7% | 5.9% | 1.4% | 1.2% | 0.5% | 1.1% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 1 | 1 | 2 | 2 |
| Count of OUD | 7 | 12 | 8 | 7 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 13% | 13% | 15% | 15% | 7% | 8% | 10% | 9% |
| Medicaid HMO | 28% | 26% | 23% | 22% | 39% | 35% | 30% | 36% |
| Medicare | 36% | 40% | 32% | 35% | 26% | 24% | 16% | 21% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 2% | 1% | 1% | 1% | 1% | 2% | 1% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 1% | 1% | 0% |
| Other | 23% | 19% | 29% | 26% | 27% | 31% | 42% | 33% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Sunrise Hospital and Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|--------------------------|------|------|------|------|
| Opioid Poisonings | 108 | 109 | 143 | 157 |
| Opioid Related | 559 | 645 | 660 | 635 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Sunrise Hospital and Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 34.3% | 30.3% | 37.1% | 35.5% | 51.0% | 46.2% | 50.6% | 47.0% |
| | Male | 65.7% | 69.7% | 62.9% | 64.5% | 49.0% | 53.6% | 49.4% | 53.0% |
| | Unknown | 3.7% | 4.6% | 4.2% | 0.8% | 1.4% | 1.6% | 1.4% | 1.4% |
| Age | 0-24 | 13.9% | 11.9% | 16.8% | 11.3% | 4.7% | 3.7% | 3.5% | 3.5% |
| | 25-44 | 57.4% | 60.6% | 62.2% | 62.9% | 36.1% | 36.7% | 37.4% | 44.1% |
| | 45-64 | 25.9% | 18.3% | 14.0% | 20.2% | 37.9% | 40.6% | 40.9% | 36.6% |
| | 65+ | 2.8% | 9.2% | 7.0% | 5.6% | 21.3% | 18.9% | 18.2% | 15.8% |
| | Unknown | 3.7% | 4.6% | 4.2% | 0.8% | 1.4% | 1.6% | 1.4% | 1.4% |
| Race/Ethnicity | Black | 17.6% | 13.8% | 17.5% | 18.5% | 16.5% | 15.8% | 15.8% | 16.2% |
| | White | 55.6% | 59.6% | 45.5% | 43.5% | 60.8% | 64.0% | 60.6% | 59.5% |
| | Hispanic | 13.0% | 11.0% | 14.0% | 16.1% | 13.8% | 11.6% | 10.2% | 11.9% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 3.7% | 4.6% | 4.2% | 0.8% | 1.4% | 1.6% | 1.4% | 1.4% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 76 | 55 | 51 | 65 |
| Count of Readmission | 11 | 21 | 16 | 16 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 19% | 20% | 21% | 21% | 12% | 13% | 14% | 14% |
| Medicaid HMO | 29% | 31% | 32% | 35% | 49% | 50% | 51% | 52% |
| Medicare | 42% | 39% | 35% | 32% | 18% | 17% | 14% | 14% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 1% | 0% | 0% | 0% | 0% |
| Other | 9% | 9% | 12% | 11% | 20% | 20% | 21% | 20% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


University Medical Center of Southern Nevada

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 34 | 39 | 53 | 45 |
| Opioid Related | 535 | 491 | 450 | 724 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for University Medical Center of Southern Nevada


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 38.2% | 41.0% | 43.4% | 19.4% | 45.4% | 47.0% | 46.4% | 34.2% |
| | Male | 61.8% | 59.0% | 56.6% | 80.6% | 54.6% | 53.0% | 53.6% | 65.8% |
| | Unknown | 2.9% | 2.6% | 1.9% | 0.0% | 0.4% | 0.6% | 0.9% | 1.3% |
| Age | 0-24 | 32.4% | 15.4% | 24.5% | 9.7% | 7.1% | 5.7% | 7.1% | 4.4% |
| | 25-44 | 50.0% | 64.1% | 41.5% | 64.5% | 46.4% | 46.0% | 41.6% | 34.2% |
| | 45-64 | 17.6% | 7.7% | 20.8% | 25.8% | 37.8% | 39.5% | 42.4% | 42.4% |
| | 65+ | 0.0% | 12.8% | 13.2% | 0.0% | 8.8% | 8.8% | 8.9% | 19.0% |
| | Unknown | 2.9% | 2.6% | 1.9% | 0.0% | 0.4% | 0.6% | 0.9% | 1.3% |
| Race/Ethnicity | Black | 11.8% | 23.1% | 17.0% | 38.7% | 19.8% | 26.1% | 28.0% | 20.9% |
| | White | 73.5% | 53.8% | 60.4% | 41.9% | 72.0% | 64.0% | 61.8% | 62.7% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 2.9% | 2.6% | 1.9% | 0.0% | 0.4% | 0.6% | 0.9% | 1.3% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 3 | 4 | 7 | 4 |
| Count of OUD | 18 | 21 | 33 | 27 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 16% | 17% | 13% | 18% | 10% | 13% | 13% | 11% |
| Medicaid HMO | 45% | 51% | 58% | 36% | 56% | 59% | 62% | 57% |
| Medicare | 15% | 18% | 20% | 22% | 7% | 14% | 10% | 16% |
| CHAMPUS OR CHAMPVA (Military) | 2% | 1% | 1% | 2% | 0% | 0% | 0% | 1% |
| Commercial Insurer | 1% | 0% | 0% | 0% | 2% | 0% | 0% | 1% |
| Other | 21% | 13% | 8% | 21% | 25% | 14% | 15% | 15% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Valley Hospital Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 42 | 53 | 45 | 65 |
| Opioid Related | 467 | 512 | 348 | 411 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Valley Hospital Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 26.2% | 30.2% | 26.7% | 33.3% | 49.3% | 48.6% | 44.3% | 50.7% |
| | Male | 73.8% | 69.8% | 73.3% | 66.7% | 50.7% | 51.4% | 55.7% | 49.3% |
| | Unknown | 0.0% | 1.9% | 6.7% | 1.9% | 1.3% | 0.8% | 1.7% | 1.7% |
| Age | 0-24 | 0.0% | 3.8% | 15.6% | 7.4% | 4.7% | 1.8% | 2.3% | 2.3% |
| | 25-44 | 50.0% | 39.6% | 35.6% | 55.6% | 34.5% | 32.8% | 29.0% | 30.1% |
| | 45-64 | 33.3% | 41.5% | 37.8% | 29.6% | 48.0% | 46.1% | 45.1% | 39.1% |
| | 65+ | 16.7% | 15.1% | 11.1% | 7.4% | 12.8% | 19.3% | 23.6% | 28.5% |
| | Unknown | 0.0% | 1.9% | 6.7% | 1.9% | 1.3% | 0.8% | 1.7% | 1.7% |
| Race/Ethnicity | Black | 19.0% | 20.8% | 28.9% | 14.8% | 23.8% | 27.1% | 27.0% | 26.5% |
| | White | 69.0% | 60.4% | 46.7% | 63.0% | 60.2% | 55.9% | 54.9% | 57.9% |
| | Hispanic | 9.5% | 13.2% | 11.1% | 11.1% | 9.4% | 8.2% | 9.2% | 8.9% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 1.9% | 6.7% | 1.9% | 1.3% | 0.8% | 1.7% | 1.7% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 3 | 14 | 9 | 5 |
| Count of OUD | 37 | 33 | 18 | 31 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 31% | 29% | 22% | 20% | 19% | 18% | 15% | 16% |
| Medicaid HMO | 25% | 18% | 20% | 28% | 39% | 33% | 40% | 43% |
| Medicare | 29% | 34% | 36% | 36% | 24% | 27% | 20% | 18% |
| CHAMPUS OR CHAMPVA (Military) | 2% | 2% | 2% | 1% | 3% | 2% | 1% | 1% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 14% | 17% | 19% | 14% | 15% | 20% | 23% | 22% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Carson Tahoe Regional Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 16 | 15 | 19 | 20 |
| Opioid Related | 619 | 663 | 524 | 428 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Carson Tahoe Regional Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|-------|-------|--------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 31.3% | 40.0% | 47.4% | 66.7% | 52.7% | 52.2% | 52.5% | 44.4% | |
| | Male | 68.8% | 60.0% | 52.6% | 33.3% | 47.3% | 47.8% | 47.5% | 55.6% | |
| | Unknown | 0.0% | 6.7% | 5.3% | 0.0% | 3.1% | 2.6% | 2.5% | 4.4% | |
| Age | 0-24 | 37.5% | 20.0% | 26.3% | 0.0% | 7.4% | 4.4% | 6.1% | 3.7% | |
| | 25-44 | 43.8% | 46.7% | 42.1% | 66.7% | 37.0% | 38.3% | 39.7% | 48.1% | |
| | 45-64 | 6.3% | 26.7% | 15.8% | 33.3% | 35.4% | 30.3% | 32.8% | 23.0% | |
| | 65+ | 12.5% | 6.7% | 15.8% | 0.0% | 20.2% | 27.0% | 21.4% | 25.2% | |
| | Unknown | 0.0% | 6.7% | 5.3% | 0.0% | 3.1% | 2.6% | 2.5% | 4.4% | |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.8% | 0.5% | 1.0% | 1.5% | |
| | White | 100.0% | 86.7% | 94.7% | 100.0% | 92.1% | 95.0% | 91.8% | 86.7% | |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 6.7% | 5.3% | 0.0% | 3.1% | 2.6% | 2.5% | 4.4% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 2 | 1 | 0 | 3 |
| Count of OUD | 0 | 2 | 1 | 2 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 45% | 48% | 49% | 40% | 37% | 46% | 38% | 34% |
| Medicaid HMO | 0% | 1% | 1% | 8% | 2% | 1% | 2% | 10% |
| Medicare | 37% | 40% | 37% | 39% | 33% | 29% | 32% | 34% |
| CHAMPUS OR CHAMPVA (Military) | 1% | 1% | 1% | 0% | 2% | 1% | 2% | 0% |
| Commercial Insurer | 4% | 2% | 5% | 10% | 3% | 2% | 2% | 16% |
| Other | 14% | 8% | 6% | 3% | 23% | 22% | 24% | 6% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Centennial Hills Hospital Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 29 | 27 | 32 | 57 |
| Opioid Related | 204 | 181 | 207 | 236 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Centennial Hills Hospital Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|-------|-------|-------|-------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 48.3% | 55.6% | 31.3% | 46.8% | 60.8% | 66.3% | 64.3% | 66.1% | |
| | Male | 51.7% | 44.4% | 68.8% | 53.2% | 39.2% | 33.7% | 35.7% | 33.9% | |
| | Unknown | 6.9% | 0.0% | 3.1% | 2.1% | 0.5% | 0.6% | 1.9% | 0.0% | |
| Age | 0-24 | 37.9% | 14.8% | 18.8% | 29.8% | 6.4% | 4.4% | 4.3% | 1.7% | |
| | 25-44 | 31.0% | 63.0% | 59.4% | 34.0% | 35.8% | 37.6% | 31.9% | 35.0% | |
| | 45-64 | 20.7% | 18.5% | 18.8% | 23.4% | 35.3% | 35.9% | 37.2% | 27.2% | |
| | 65+ | 10.3% | 3.7% | 3.1% | 12.8% | 22.5% | 22.1% | 26.6% | 36.1% | |
| | Unknown | 6.9% | 0.0% | 3.1% | 2.1% | 0.5% | 0.6% | 1.9% | 0.0% | |
| Race/Ethnicity | Black | 13.8% | 11.1% | 6.3% | 19.1% | 20.1% | 19.3% | 20.3% | 13.9% | |
| | White | 69.0% | 66.7% | 59.4% | 51.1% | 67.2% | 71.3% | 69.1% | 78.3% | |
| | Hispanic | 0.0% | 11.1% | 15.6% | 12.8% | 5.9% | 4.4% | 4.8% | 3.3% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 6.9% | 0.0% | 3.1% | 2.1% | 0.5% | 0.6% | 1.9% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 3 | 2 | 3 | 0 |
| Count of OUD | 9 | 11 | 5 | 3 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 12% | 9% | 10% | 7% | 8% | 8% | 8% | 6% |
| Medicaid HMO | 20% | 26% | 20% | 18% | 29% | 39% | 23% | 36% |
| Medicare | 40% | 40% | 38% | 40% | 24% | 21% | 21% | 17% |
| CHAMPUS OR CHAMPVA (Military) | 5% | 6% | 0% | 2% | 2% | 3% | 3% | 2% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 23% | 20% | 33% | 33% | 37% | 30% | 45% | 38% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Pershing General Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 1 | 1 | 4 | 3 |
| Opioid Related | 2 | 1 | 0 | 0 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Pershing General Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|--------|-------|-------|---------------------------------|--------|------|------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 0.0% | 0.0% | 25.0% | 66.7% | 50.0% | 100.0% | 0.0% | 0.0% | |
| | Male | 100.0% | 100.0% | 75.0% | 33.3% | 50.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Age | 0-24 | 100.0% | 0.0% | 50.0% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | 25-44 | 0.0% | 0.0% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | 45-64 | 0.0% | 0.0% | 0.0% | 33.3% | 50.0% | 0.0% | 0.0% | 0.0% | |
| | 65+ | 0.0% | 100.0% | 50.0% | 0.0% | 50.0% | 100.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | White | 0.0% | 100.0% | 50.0% | 66.7% | 100.0% | 100.0% | 0.0% | 0.0% | |
| | Hispanic | 100.0% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| OU | 0 | 1 | 0 | 0 |
| Count of Readmission | 0 | 1 | 0 | 0 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|--------------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 50% | 0% | 0% | 0% | 20% | 17% | 60% | 17% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 20% | 0% | 0% | 0% |
| Medicare | 50% | 100% | 0% | 0% | 20% | 33% | 20% | 0% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 10% | 17% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 17% | 10% | 0% |
| Other | 0% | 0% | 0% | 0% | 40% | 33% | 0% | 67% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


William Bee Ririe Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 2 | 1 | 1 | 2 |
| Opioid Related | 16 | 13 | 19 | 8 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for William Bee Ririe Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|--------|--------|--------|---------------------------------|-------|-------|-------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 50.0% | 100.0% | 0.0% | 50.0% | 68.8% | 69.2% | 36.8% | 42.9% | |
| | Male | 50.0% | 0.0% | 100.0% | 50.0% | 31.3% | 30.8% | 63.2% | 57.1% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Age | 0-24 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | 25-44 | 50.0% | 100.0% | 100.0% | 100.0% | 18.8% | 23.1% | 5.3% | 14.3% | |
| | 45-64 | 50.0% | 0.0% | 0.0% | 0.0% | 37.5% | 38.5% | 42.1% | 57.1% | |
| | 65+ | 0.0% | 0.0% | 0.0% | 0.0% | 43.8% | 38.5% | 52.6% | 28.6% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | White | 100.0% | 100.0% | 100.0% | 100.0% | 93.8% | 92.3% | 89.5% | 57.1% | |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 0 | 0 | 0 |
| Count of OUD | 0 | 0 | 1 | 0 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 19% | 43% | 32% | 38% | 31% | 18% | 59% | 53% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Medicare | 69% | 36% | 53% | 38% | 38% | 35% | 29% | 33% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 13% | 7% | 11% | 25% | 6% | 18% | 6% | 7% |
| Other | 0% | 14% | 5% | 0% | 25% | 29% | 6% | 7% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Banner Churchill Community Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 3 | 1 | 6 | 4 |
| Opioid Related | 37 | 36 | 25 | 32 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Banner Churchill Community Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | |
|----------------|----------------------------|--------|--------|-------|--------|---------------------------------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 33.3% | 0.0% | 16.7% | 0.0% | 86.5% | 58.3% | 40.0% | 62.1% |
| | Male | 66.7% | 100.0% | 83.3% | 100.0% | 13.5% | 41.7% | 60.0% | 37.9% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 2.7% | 0.0% | 4.0% | 0.0% |
| Age | 0-24 | 0.0% | 0.0% | 16.7% | 0.0% | 5.4% | 0.0% | 0.0% | 0.0% |
| | 25-44 | 33.3% | 100.0% | 50.0% | 66.7% | 21.6% | 27.8% | 32.0% | 27.6% |
| | 45-64 | 33.3% | 0.0% | 16.7% | 0.0% | 40.5% | 36.1% | 24.0% | 31.0% |
| | 65+ | 33.3% | 0.0% | 16.7% | 33.3% | 32.4% | 36.1% | 44.0% | 41.4% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 2.7% | 0.0% | 4.0% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White | 100.0% | 100.0% | 66.7% | 100.0% | 94.6% | 88.9% | 92.0% | 89.7% |
| | Hispanic | 0.0% | 0.0% | 16.7% | 0.0% | 2.7% | 2.8% | 0.0% | 3.4% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 2.7% | 0.0% | 4.0% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 1 | 0 | 0 | 0 |
| Count of OUD | 0 | 0 | 5 | 1 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 45% | 35% | 31% | 22% | 45% | 46% | 63% | 31% |
| Medicaid HMO | 0% | 3% | 0% | 0% | 0% | 4% | 3% | 8% |
| Medicare | 45% | 41% | 50% | 38% | 37% | 33% | 13% | 33% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 5% | 4% | 0% | 0% | 2% | 0% | 0% |
| Commercial Insurer | 0% | 3% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 11% | 14% | 15% | 41% | 18% | 15% | 21% | 28% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Boulder City Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 5 | 1 | 8 | 6 |
| Opioid Related | 6 | 4 | 5 | 0 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Boulder City Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | |
|----------------|----------------------------|--------|--------|-------|-------|---------------------------------|-------|--------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 40.0% | 0.0% | 12.5% | 60.0% | 50.0% | 50.0% | 80.0% | 0.0% |
| | Male | 60.0% | 100.0% | 87.5% | 40.0% | 50.0% | 50.0% | 20.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 16.7% | 25.0% | 0.0% | 0.0% |
| Age | 0-24 | 0.0% | 0.0% | 12.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | 25-44 | 80.0% | 100.0% | 75.0% | 20.0% | 16.7% | 0.0% | 0.0% | 0.0% |
| | 45-64 | 20.0% | 0.0% | 12.5% | 80.0% | 50.0% | 50.0% | 0.0% | 0.0% |
| | 65+ | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | 50.0% | 100.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 16.7% | 25.0% | 0.0% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 0.0% | 12.5% | 0.0% | 16.7% | 25.0% | 0.0% | 0.0% |
| | White | 100.0% | 100.0% | 87.5% | 80.0% | 66.7% | 50.0% | 100.0% | 0.0% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 16.7% | 25.0% | 0.0% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 2 | 0 | 1 | 0 |
| Count of OUD | 1 | 0 | 0 | 1 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 50% | 0% | 0% | 0% | 58% | 33% | 48% | 57% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Medicare | 33% | 50% | 80% | 100% | 23% | 44% | 33% | 38% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 17% | 50% | 20% | 0% | 16% | 6% | 12% | 5% |
| Other | 0% | 0% | 0% | 0% | 3% | 17% | 6% | 0% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Carson Valley Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 1 | 3 | 10 | 6 |
| Opioid Related | 16 | 22 | 43 | 38 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Carson Valley Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|--------|--------|--------|---------------------------------|-------|-------|--------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 100.0% | 33.3% | 20.0% | 0.0% | 62.5% | 50.0% | 65.1% | 37.5% | |
| | Male | 0.0% | 66.7% | 80.0% | 100.0% | 37.5% | 50.0% | 34.9% | 62.5% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Age | 0-24 | 100.0% | 0.0% | 10.0% | 0.0% | 6.3% | 4.5% | 0.0% | 0.0% | |
| | 25-44 | 0.0% | 66.7% | 70.0% | 100.0% | 12.5% | 18.2% | 16.3% | 37.5% | |
| | 45-64 | 0.0% | 0.0% | 10.0% | 0.0% | 12.5% | 22.7% | 27.9% | 50.0% | |
| | 65+ | 0.0% | 33.3% | 10.0% | 0.0% | 68.8% | 54.5% | 55.8% | 12.5% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Race/Ethnicity | Black | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | White | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% | 95.5% | 95.3% | 100.0% | |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 0 | 0 | 0 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|--------------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 11% | 20% | 21% | 12% | 30% | 43% | 22% | 36% |
| Medicaid HMO | 0% | 0% | 2% | 0% | 0% | 3% | 3% | 0% |
| Medicare | 72% | 56% | 56% | 71% | 57% | 43% | 46% | 46% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 4% | 9% | 5% | 0% | 0% | 8% | 4% |
| Commercial Insurer | 6% | 0% | 0% | 7% | 0% | 0% | 5% | 4% |
| Other | 11% | 20% | 12% | 5% | 14% | 10% | 16% | 11% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Desert View Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 8 | 10 | 12 | 19 |
| Opioid Related | 14 | 12 | 8 | 12 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Desert View Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|-------|-------|---------------------------------|-------|-------|-------|-------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 37.5% | 40.0% | 33.3% | 27.3% | 57.1% | 58.3% | 50.0% | 55.6% |
| | Male | 62.5% | 60.0% | 66.7% | 72.7% | 42.9% | 41.7% | 50.0% | 44.4% |
| | Unknown | 0.0% | 10.0% | 41.7% | 27.3% | 7.1% | 16.7% | 25.0% | 11.1% |
| Age | 0-24 | 25.0% | 10.0% | 16.7% | 18.2% | 0.0% | 0.0% | 12.5% | 0.0% |
| | 25-44 | 0.0% | 30.0% | 25.0% | 72.7% | 21.4% | 58.3% | 0.0% | 0.0% |
| | 45-64 | 75.0% | 30.0% | 33.3% | 0.0% | 42.9% | 33.3% | 37.5% | 22.2% |
| | 65+ | 0.0% | 30.0% | 25.0% | 9.1% | 35.7% | 8.3% | 50.0% | 77.8% |
| | Unknown | 0.0% | 10.0% | 41.7% | 27.3% | 7.1% | 16.7% | 25.0% | 11.1% |
| Race/Ethnicity | Black | 0.0% | 10.0% | 0.0% | 18.2% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White | 100.0% | 80.0% | 58.3% | 45.5% | 92.9% | 50.0% | 75.0% | 88.9% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 9.1% | 0.0% | 33.3% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 10.0% | 41.7% | 27.3% | 7.1% | 16.7% | 25.0% | 11.1% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 0 | 0 | 3 |
| Count of OUD | 2 | 3 | 6 | 1 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 29% | 42% | 11% | 17% | 46% | 51% | 39% | 39% |
| Medicaid HMO | 7% | 8% | 0% | 0% | 3% | 7% | 13% | 11% |
| Medicare | 57% | 33% | 56% | 50% | 24% | 30% | 28% | 32% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 11% | 25% | 7% | 0% | 7% | 7% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 1% |
| Other | 7% | 17% | 22% | 8% | 20% | 13% | 10% | 9% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Grover C Dils Medical Center

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 1 | 0 | 0 | 1 |
| Opioid Related | 1 | 1 | 4 | 1 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Grover C Dils Medical Center.


| Demographics | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|------|------|---------------------------------|--------|--------|--------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 100.0% | 0.0% | 0.0% | 100.0% | 100.0% | 0.0% | 75.0% | 0.0% |
| | Male | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 25.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Age | 0-24 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | 25-44 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 25.0% | 0.0% |
| | 45-64 | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 75.0% | 0.0% |
| | 65+ | 100.0% | 0.0% | 0.0% | 100.0% | 0.0% | 100.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White | 100.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% | 0.0% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of Readmission | 0 | 0 | 0 | 0 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 0% | 0% | 75% | 0% | 25% | 40% | 30% | 33% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Medicare | 100% | 100% | 25% | 100% | 50% | 40% | 30% | 33% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 25% | 20% | 30% | 33% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 10% | 0% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Humboldt General Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 5 | 10 | 0 | 6 |
| Opioid Related | 6 | 5 | 0 | 10 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Humboldt General Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | | |
|----------------|----------------------------|--------|-------|------|--------|---------------------------------|--------|------|--------|--|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | | |
| Gender | Female | 100.0% | 30.0% | 0.0% | 0.0% | 66.7% | 80.0% | 0.0% | 100.0% | |
| | Male | 0.0% | 70.0% | 0.0% | 100.0% | 33.3% | 20.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Age | 0-24 | 20.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | 25-44 | 20.0% | 30.0% | 0.0% | 0.0% | 33.3% | 60.0% | 0.0% | 50.0% | |
| | 45-64 | 40.0% | 20.0% | 0.0% | 100.0% | 33.3% | 0.0% | 0.0% | 0.0% | |
| | 65+ | 20.0% | 0.0% | 0.0% | 0.0% | 33.3% | 40.0% | 0.0% | 50.0% | |
| | Unknown | 0.0% | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| Race/Ethnicity | Black | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | White | 80.0% | 90.0% | 0.0% | 0.0% | 83.3% | 100.0% | 0.0% | 100.0% | |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |
| | Unknown | 0.0% | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| OU | 3 | 0 | 0 | 3 |
| Count of Readmission | 2 | 0 | 0 | 1 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|--------------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 33% | 33% | 0% | 20% | 35% | 27% | 0% | 70% |
| Medicaid HMO | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Medicare | 33% | 17% | 0% | 30% | 20% | 0% | 0% | 6% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 10% | 0% | 0% | 0% | 3% |
| Commercial Insurer | 0% | 33% | 0% | 30% | 20% | 20% | 0% | 12% |
| Other | 33% | 17% | 0% | 10% | 25% | 53% | 0% | 9% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)



Nevada Opioid Surveillance Hospital Profile - 2022


Mesa View Regional Hospital

The Centers for Disease Control and Prevention (CDC) Overdose Data to Action (OD2A) is a program that supports state, territorial, county, and city health departments in obtaining more comprehensive and timelier data on overdose morbidity and mortality. The program is to enhance opioid overdose surveillance, reporting, and dissemination efforts to better inform prevention and early intervention strategies.

This profile contains information on opioid-related conditions and overdose in your hospital.

Figure 1 and 2. 2018-2021 Rates per 10,000 patients for opioid overdose ED visits and opioid-related inpatient encounters for facility and statewide in NV.

Opioid Poisoning ED Visits



Opioid-Related Inpatient Visits




Table 2. 2018-2021, Counts of opioid poisonings and opioid related incidents at your facility.


| | 2018 | 2019 | 2020 | 2021 |
|-------------------|------|------|------|------|
| Opioid Poisonings | 4 | 6 | 2 | 6 |
| Opioid Related | 8 | 13 | 7 | 5 |

Table 1. Percentage breakdown of demographics of opioid overdoses ED visits and opioid-related inpatient encounters for Mesa View Regional Hospital.


| Demographics | Opioid Poisoning ED Visits | | | | | Opioid Related Inpatient Visits | | | |
|----------------|----------------------------|--------|--------|--------|-------|---------------------------------|--------|--------|--------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 | |
| Gender | Female | 50.0% | 66.7% | 50.0% | 50.0% | 62.5% | 92.3% | 100.0% | 25.0% |
| | Male | 50.0% | 33.3% | 50.0% | 50.0% | 37.5% | 7.7% | 0.0% | 75.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Age | 0-24 | 0.0% | 16.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | 25-44 | 25.0% | 16.7% | 100.0% | 66.7% | 25.0% | 0.0% | 0.0% | 25.0% |
| | 45-64 | 75.0% | 33.3% | 0.0% | 16.7% | 62.5% | 38.5% | 14.3% | 25.0% |
| | 65+ | 0.0% | 33.3% | 0.0% | 16.7% | 12.5% | 61.5% | 85.7% | 50.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Race/Ethnicity | Black | 0.0% | 0.0% | 0.0% | 16.7% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White | 100.0% | 100.0% | 100.0% | 83.3% | 100.0% | 100.0% | 100.0% | 100.0% |
| | Hispanic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Unknown | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Figure 3 and 4. 2018-2021, Rate of patient readmission within a 30 day period for opioid poisonings at your facility, compared to state average. Patients with 4 or more readmissions within a 30 day period.

Rate of Readmission



4 or More Readmissions



Number of babies born substance exposed in your facility, July 2021- August 2022: 0

Nevada Opioid Surveillance Hospital Profile - 2022


Table 4. 2018-2021, Count of patient readmission within a 30 day period for opioid poisonings, and count of opioid use disorder at your facility.

| | 2018 | 2019 | 2020 | 2021 |
|-----------------------------|------|------|------|------|
| Count of OUD | 1 | 1 | 1 | 10 |
| Count of Readmission | 1 | 2 | 0 | 0 |

Table 3. 2018-2021 Percentage of payer type for opioid poisoning emergency department visits and opioid related inpatient visits.

| Payer Type | Opioid Poisoning ED Visits | | | | Opioid Related Inpatient Visits | | | |
|-------------------------------|----------------------------|------|------|------|---------------------------------|------|------|------|
| | 2018 | 2019 | 2020 | 2021 | 2018 | 2019 | 2020 | 2021 |
| Medicaid | 33% | 0% | 0% | 40% | 15% | 14% | 32% | 41% |
| Medicaid HMO | 11% | 0% | 0% | 0% | 12% | 7% | 9% | 0% |
| Medicare | 56% | 100% | 100% | 60% | 42% | 41% | 29% | 21% |
| CHAMPUS OR CHAMPVA (Military) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Commercial Insurer | 0% | 0% | 0% | 0% | 6% | 18% | 9% | 0% |
| Other | 0% | 0% | 0% | 0% | 24% | 20% | 21% | 38% |

Figure 5 and 6. 2018-2021 Rate of Opioid Use Disorder per 10,000 patients, and average inpatient length of stay at your facility compared to all facilities in Nevada. Opioid use disorder is defined as a hospital visit where the principal diagnosis is coded with an ICD 10 code of F11.



Address questions/comments to Nevada OD2A's opioid epidemiologist, Shawn Thomas, MPH, at shawnt@unr.edu.

This publication was supported by the Nevada State Department of Health and Human Services through Grant Number NU17CE925001 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Department nor the Centers for Disease Control and Prevention.

[Please provide feedback about this report here.](#)

